


La Jolla Shores Steet Lights Light Distribution Addendum

07-12-2023

GE Luminaire: Light Distribution Options

EPAS02
Type V Symmetric – No Cage


9,300 Lumens
4000K
EPAS02*09A*40***(A, D or G)




Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade


EPAS02
TYPE III ASYMMETRIC – NO CAGE

9,300 Lumens
4000K
EPAS02*09A*40***(A, D or G)



Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade






Google

EPAS02
Type V Symmetric – No Cage


9,300 Lumens
4000K
EPAS02*09A*40***(A, D or G)



Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade

EPAS02
TYPE III ASYMMETRIC – NO CAGE


9,300 Lumens
4000K
EPAS02*09A*40***(A, D or G)



Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade

EPAS02
Type V Symmetric – No Cage

9,300 Lumens
4000K
EPAS02*09A*40***(A, D or G)




Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade


= 5' wide sidewalk based on
12' mounting height grid

EPAS02
TYPE III ASYMMETRIC – NO CAGE

9,300 Lumens
4000K
EPAS02*09A*40***(A, D or G)



Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade








EPAS02
Type V Symmetric – No Cage

9,300 Lumens

4000K

EPAS02*09A*40***(A, D or G)



Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade


= 5' wide sidewalk based on
12' mounting height grid

EPAS02
TYPE III ASYMMETRIC – NO CAGE

9,300 Lumens

4000K

EPAS02*09A*40***(A, D or G)



Grid Distance in Units of Mounting Height at 16'
Initial Footcandle Values at Grade

